



ITA_System_Configuration/Environment_Guide

CI/CD For IaC

—Version 1.8—

Disclaimer

All the contents of this document are protected by copyright owned by NEC Corporation.

Unauthorized reproduction or copying of all or part of the contents of this document is prohibited.

The contents of this manual are subject to change without notice.

NEC Corporation is not responsible for any technical or editorial errors or omissions in this document.

NEC Corporation do not guarantee accuracy, usability, certainty of the content in this document.

Trademark

- Linux is registered trademark or trademark of Linus Torvalds, registered in the U.S. and other countries.
- Red Hat is registered trademark or trademark of Red Hat, Inc. registered in the U.S. and other countries.
- Apache, Apache Tomcat, and Tomcat are registered trademarks or trademarks of the Apache Software Foundation.
- Oracle and MySQL are registered trademarks of Oracle Corporation and its subsidiaries and affiliates in the United States and other countries.
- Terraform is a registered trademark or trademark of HashiCorp.

The names of other systems, company name and products mentioned in this document are registered trademarks or trademarks of their respective companies.

The ® mark and TM mark are not specified in this document.

Terminology and definitions

This document uses the following terminology.

Terminology	Definition
ITA	Abbreviation for “Exastro IT Automation”
Link source file	Git repository source files that are linked using the CI/CD for IaC function
Link destination function	Refers to the ITA link drivers (Ansible-driver and Terraform-Driver).
Link destination file	Refers to the files uploaded from the following ITA drivers (Ansible-driver and Terraform-Driver). <ul style="list-style-type: none">• Ansible-Legacy/Playbook file collection• Ansible-Pioneer/Dialogue file collection• Ansible-LegacyRole/Role package list• Ansible common/File list• Ansible common/Template list• Terraform/Module files• Terraform/Policy list

Table of contents

1	Introduction.....	3
2	CI/CD For IaC overview	3
3	System construction.....	4
4	System requirements	5

1 Introduction

This document explains the system configuration and environment construction needed in order to use the ITA CI/CD For IaC function. In order to use the CI/CD for IaC function, ITA must have its basic functions as well as its Link destination functions installed.

For more information regarding constructing ITA's basic functions, please refer to the "System_Configuration/Environment_Guide_Basic" manual. For more information regarding constructing the Link driver functions, please refer to the respective driver's system configuration/environment construction guide. .

2 CI/CD For IaC overview

The CI/CD For IaC can be divided into two functions. For more information, please see the "Exastro-ITA_User_manual_CI/CD For IaC" manual.

Table 2-1 CI/CD For IaC function overview

No	Function name	Application	WEB contents	BackYard contents
1	Git link function	This function creates a clone of the Git repository within ITA. It will also use the clone to check any updates that might have happened to the source files which will be listed in ITA's "Remote repository file" menu.	○	○
2	File link function	This function links the link source file and the link destination file and then register an Operation and Movement in order to verify the link source file. If the link source file gets updated, the link destination file will be automatically updated. An Operation and Movement will be run to check the files.	○	○


3 System construction

The system construction for the CI/CD For IaC function is the same as the ITA system.

The following figure displays a system configuration where the Git repository is on its own server different to the CI/CD for IaC function. (A configuration where they're both on the same server is possible) Users can also link to a Git repository from GitHub and GitLab..

※ The construction figure below is simplified. Please refer to the following documents for more information.

- ” System_Configuration/Environment_Guide_Basic”
- ” System_Configuration/Environment_Guide_Ansible-driver“
- ” System_Configuration/Environment_Guide_Terraform-driver“



4 System requirements

The system requirements for the CI/CD For IaC function is as follows. As the system requirements are based on the ones for ITA, please refer to the following document.

- Git package

Table 4-1 Git package system requirements

Package	Version	Remarks
Git	1.8.3.1(RHEL7 type) 2.27.0 (RHEL8 type)	These versions are verified versions.